

6177 TE DA HORA

HORA6177

LOTE 01

DT. NASC.


11/24/2021

PESO

CE

630 kg 37 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
25.59	5.50	8.38	21.63	1.35	2.92	0.66	91.92	90.81
3	0.5	14	6	3	7	3	0.5	1

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
39.70	5.36	7.98	19.60	1.67	3.78	4.33	42.30	-34.06
0.1	0.1	5	2	0.5	0.5	0.1	0.5	0.5

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g
26.46	4.60	7.67	17.55	1.44	3.40	4.23	42.45	-34.82
1	1	1	1	1	1	1	1	1

VALOR

DECA

HORA GENÉTICA PROVADA

6182 TE DA HORA

HORA6182

LOTE 02

DT. NASC.

11/24/2021


PESO

700 kg

CE

43 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGTe	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	
24.20	3.06	10.20	22.29	1.15	5.43	0.13	79.81	87.82	VALOR
4	7	9	6	6	0.5	22	12	3	TOP %




IQGg	DPMg	DPDg	DPSg	DPEsG	DAOLg	DEGSg	DHPg	DIPPg	
29.51	2.49	7.67	17.99	1.82	3.99	0.67	35.64	-24.09	VALOR
1	9	6	2	0.5	0.5	26	12	2	PERCENTIL



iABCZ	PM-EMg	PD-EDg	PS-EDg	PE-365g	AOLg	ACABg	STAYg	IPPg	
19.13	2.39	7.76	18.86	1.24	4.06	0.45	35.15	-24.54	VALOR
1	1	1	1	1	1	4	2	1	DECA

HORA GENÉTICA PROVADA

NELORE PADRÃO



CLIQUE AQUI

para ver o vídeo

PROGRAMA DE MELHORAMENTO

MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	
25.36	6.21	14.01	26.39	0.10	3.13	-0.02	86.90	81.34	VALOR
3	0.5	3	3	47	6	51	3	18	TOP %

IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g	
35.24	6.28	15.64	23.10	0.76	3.28	-0.93	41.91	-28.66	VALOR
0.5	0.1	0.1	0.5	15	1	82	0.5	1	PERCENTIL

iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g	
30.09	6.51	14.14	20.21	0.57	3.14	-0.94	41.71	-29.06	VALOR
1	1	1	1	2	1	9	1	1	DECA

6205 TE DA HORA

HORA6205

LOTE 04

DT. NASC.


11/26/2021

PESO

CE

653 kg 42 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _{Te}	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
24.35	1.10	10.64	25.46	2.05	3.12	0.36	85.89	87.63
4	38	8	3	0.5	6	8	4	3

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
41.03	1.50	11.39	24.57	2.67	4.35	2.53	42.33	-7.20
0.1	22	0.5	0.5	0.1	0.1	1	0.5	33

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g
25.38	1.67	12.19	25.60	1.93	4.30	2.10	41.59	-9.23
1	2	1	1	1	1	1	1	3

VALOR

DECA

HORA GENÉTICA PROVADA

6209 TE DA HORA

HORA6209

LOTE 05

DT. NASC.

11/29/2021


PESO

600 kg

CE

41 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
23.99	1.81	8.94	14.88	1.49	3.94	0.78	90.26	92.40
4	22	12	17	2	3	2	1	0.5

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
30.06	2.07	8.24	15.95	2.20	3.97	2.05	35.78	-24.86
1	14	5	4	0.1	0.5	3	11	2

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365g	AOL _g	ACAB _g	STAY _g	IPP _g
18.71	1.62	7.70	15.86	1.65	4.15	2.09	34.67	-28.41
1	2	1	1	1	1	1	2	1

VALOR

DECA

HORA GENÉTICA PROVADA

6211 TE DA HORA

HORA6211

LOTE 06

DT. NASC.

11/29/2021


PESO

603 kg

CE

39 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _{Te}	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
23.83	2.53	14.71	20.15	1.61	1.82	0.21	87.25	83.74
4	12	2	8	2	16	15	3	11

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
31.23	2.41	11.47	16.33	2.16	1.73	0.65	43.79	-26.83
1	10	0.5	4	0.1	12	26	0.1	1

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365g	AOL _g	ACAB _g	STAY _g	IPP _g
25.07	2.21	11.60	15.30	1.57	1.76	0.72	43.09	-23.39
1	1	1	1	1	1	3	1	1

VALOR

DECA

HORA GENÉTICA PROVADA

6229 TE DA HORA

HORA6229

LOTE 07

DT. NASC.


11/29/2021

PESO

CE

672 kg 37 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
23.78	2.57	13.48	24.94	1.12	2.23	0.22	82.78	85.91
4	11	3	4	6	12	14	8	6

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
35.56	3.83	9.94	21.28	1.34	2.97	2.20	42.11	-15.46
0.5	2	2	1	3	2	2	0.5	11

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g
23.04	3.37	10.03	20.21	0.91	2.68	2.10	41.20	-13.91
1	1	1	1	1	1	1	1	2

VALOR

DECA

HORA GENÉTICA PROVADA

PESO

CE

545 kg 43 cm

6253 DA HORA


HORA6253

LOTE 08

DT. NASC.

11/30/2021

NELORE PADRÃO




CLIQUE AQUI

para ver o vídeo

PROGRAMA DE MELHORAMENTO		MGTe	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	VALOR
		23.86	2.66	9.16	15.73	1.72	4.53	0.28	93.00	83.69	
		4	10	11	15	1	2	11	0.5	11	TOP %
		IQGg	DPMg	DPDg	DPSg	DPEsG	DAOLg	DEGSg	DHPg	DIPPg	VALOR
		41.08	2.40	8.42	17.44	2.55	4.00	2.75	49.72	-22.58	
		0.1	10	4	3	0.1	0.5	0.5	0.1	3	PERCENTIL
		iABCZ	PM-EMg	PD-EDg	PS-EDg	PE-365g	AOLg	ACABg	STAYg	IPPg	VALOR
		26.64	2.44	7.85	17.22	1.46	3.97	2.60	48.71	-22.03	
		1	1	1	1	1	1	1	1	1	DECA

NELORE PADRÃO



CLIQUE AQUI

para ver o vídeo

PROGRAMA DE MELHORAMENTO

MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	
28.43	2.98	15.43	27.18	1.24	4.29	0.59	87.56	90.87	VALOR
1	8	2	2	4	2	3	3	1	TOP %

IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g	
35.54	4.05	13.03	22.48	1.84	3.14	0.96	40.48	-25.47	VALOR
0.5	1	0.5	0.5	0.5	1	18	1	2	PERCENTIL

iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g	
26.29	3.55	13.53	22.93	1.43	3.12	0.88	38.39	-24.61	VALOR
1	1	1	1	1	1	2	1	1	DECA

NELORE PADRÃO



PROGRAMA DE MELHORAMENTO		MGTe	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	VALOR
		27.56	4.83	12.34	28.23	1.71	4.40	-0.24	92.62	83.45	
		2	1	5	2	1	2	89	0.5	11	TOP %
		IQGg	DPMg	DPDg	DPSg	DPEsG	DAOLg	DEGSg	DHPg	DIPPg	VALOR
		53.74	4.12	12.62	31.94	2.78	5.45	1.34	48.46	-25.74	
		0.1	1	0.5	0.1	0.1	0.1	10	0.1	2	PERCENTIL
		iABCZ	PM-EMg	PD-EDg	PS-EDg	PE-365g	AOLg	ACABg	STAYg	IPPg	VALOR
		35.61	3.89	13.02	32.47	1.77	5.41	1.19	48.71	-24.98	
		1	1	1	1	1	1	2	1	1	DECA

6294 TE DA HORA

HORA6294

LOTE 11

DT. NASC.


12/6/2021

PESO

CE

623 kg 37 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _{Te}	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
24.44	4.57	12.33	21.39	2.10	2.93	0.12	80.90	86.84
4	2	5	7	0.5	7	23	11	4

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
40.74	7.61	11.27	24.28	2.43	3.06	-1.07	40.83	-39.82
0.1	0.1	0.5	0.5	0.1	2	85	1	0.1

VALOR

PERCENTIL




iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g
32.80	7.52	11.71	22.93	2.08	3.01	-1.18	40.64	-38.58
1	1	1	1	1	1	9	1	1

VALOR

DECA

HORA GENÉTICA PROVADA

NELORE PADRÃO



CLIQUE AQUI

para ver o vídeo


PROGRAMA DE MELHORAMENTO

MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	
25.73	3.22	16.48	31.38	0.31	2.62	0.13	86.01	80.80	VALOR
2	6	1	1	32	9	22	4	20	TOP %

IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g	
27.03	3.06	15.32	21.99	0.65	2.49	0.89	34.46	-16.01	VALOR
2	5.0	0.1	0.5	20	4	19	18	10	PERCENTIL

iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g	
20.76	3.04	14.72	21.35	0.24	2.41	0.82	34.29	-13.79	VALOR
1	1	1	1	4	1	2	2	2	DECA

NELORE PADRÃO



CLIQUE AQUI

para ver o vídeo

PROGRAMA DE MELHORAMENTO

MGT _{Te}	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG	
25.95	6.30	8.76	22.33	0.59	3.23	0.61	89.21	94.73	VALOR
2	0.5	13	6	19	5	3	2	0.1	TOP %

IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g	
33.83	5.84	8.24	16.49	1.29	2.26	3.52	41.06	-28.20	VALOR
0.5	0.1	5	4	3	6	0.1	1	1	PERCENTIL

iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g	
25.78	6.17	7.75	16.26	0.77	2.46	3.44	42.01	-28.93	VALOR
1	1	1	1	1	1	1	1	1	DECA

6364 TE DA HORA

HORA6364

LOTE 14

DT. NASC.

12/23/2021


PESO

625 kg

CE

44 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _e	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
27.69	4.80	11.61	23.35	1.53	5.21	-0.10	91.24	89.98
1	2	6	5	2	1	69	1	2

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
41.83	4.05	11.63	24.45	2.04	5.42	-0.40	43.78	-26.37
0.1	1	0.5	0.5	0.1	0.1	65	0.1	2

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g
28.80	4.25	10.80	22.02	1.46	4.93	-0.34	43.43	-26.47
1	1	1	1	1	1	7	1	1

VALOR

DECA

HORA GENÉTICA PROVADA

6365 TE DA HORA

HORA6365

LOTE 15

DT. NASC.

12/23/2021


PESO

605 kg

CE

39 cm

NELORE PADRÃO



CLIQUE AQUI
para ver o vídeo

PROGRAMA DE MELHORAMENTO



MGT _{Te}	MP120G	DP210G	DP450G	DPE365G	DAOLG	DACABG	DSTAYG	D3PG
23.37	1.72	9.35	19.94	1.94	5.18	-0.15	88.30	80.75
5	24	11	8	0.5	1	78	2	20

VALOR

TOP %



IQG _g	DPM _g	DPD _g	DPS _g	DPE _{Sg}	DAOL _g	DEGS _g	DHP _g	DIPP _g
33.09	1.16	10.49	17.76	2.40	5.46	1.28	38.76	-15.08
0.5	29	1	3	0.1	0.1	11	3	12

VALOR

PERCENTIL



iABCZ	PM-EM _g	PD-ED _g	PS-ED _g	PE-365 _g	AOL _g	ACAB _g	STAY _g	IPP _g
19.50	1.21	9.33	17.52	1.37	5.65	1.35	38.24	-14.77
1	3	1	1	1	1	1	1	2

VALOR

DECA

HORA GENÉTICA PROVADA